

TINSUKIA COLLEGE

PROJECT REPORT ON - EFFECT OF GIBBERELIC ACID ON GERMINATION AND SEEDLING GROWTH ^{of} IN PEA (Pisum sativum)




Submitted by -
Nayanmoni Hazarika
B.Sc 6th Semester.
Botany (Major)
Roll no - 79
Registration no -

PROJECT REPORT CERTIFICATE

This is to certify that the Project work entitled "EFFECT OF GIBBERELIC ACID ON GERMINATION AND SEEDING GROWTH OF PEA (*Pisum sativum*), Submitted by Miss Nayanmoni HAZARika, Roll no-11220079 Registration no- _____, of 2016-2017 is her own work and has done in the light of evaluators comments under my supervision.

It is recommended that this project report be placed before the examiner for evaluation.

 28/4/17

Dr. Sushmita Chakraborty
Supervisor of the project
Dept. Of BOTANY
Tinsukia College, Tinsukia

Sanjukta Gohain Boruah
Dr. Sanjukta Gohain Boruah
Head of Department
Department of Botany
Tinsukia college, Tinsukia



Head 
Department of Botany
Tinsukia College

ACKNOWLEDGEMENT

I wish to acknowledge my particular indebtedness to respected teacher Dr. Sushmita Chakraborty of Botany Department of her active guidance and help in the development and completion of this work.

I am obliged to record my thankful appreciation to Mrs Sanjukta Gohain Baruah, Head of the Department, Tinsukia College.

Mayanmoni Hazarika.


**TOPIC - EFFECT OF
GIBBERELIC ACID ON
GERMINATION AND SEEDLINGS GROWTH OF
PEA (Pisum sativum)**

CONTENTS

1. Chapter - I. Introduction	Page no. 1-3
1.1 - General description	1
1.2 - Gibberellins	2
1.3 - Germination	2
1.4 - Gibberellins on germination and growth	3
1. Chapter - II. Materials and Methodology	Page no. 4-5
2.1 - Seeds	4
2.2 - Chemicals	4
2.3 - Sterilization	4
2.4 - Preparation	4
2.5 - Seeds treatment	4
2.6 - Seedling growth	5
2.7 - Analysis of results	5
2.8 - Critical Difference	5
3. Chapter - III. Results and statistical analysis	
3.1 - Effect of gibberellic acid on germination and seedling growth of pea	6-15
3.2 - Bar diagrams	11-12
3.3 - Photographic evidence	13-14
3.4 - Conclusion	15

3.4 PHOTOGRAPHIC EVIDENCE

1. Pisum sativum (Pea)



Control



After 96 hours